OPIOIDS

DRUG	
Fentanyl	Synthetic; short duration
Morphine	Histamine release; naturally occurring; longest duration for intrathecal (late respiratory depression)
Sufentanil	Most potent (most lipid soluble); synthetic
Meperidine	Least potent; histamine release; treats shivering; can cause tachycardia (atropine-like); synthetic; lowers seizure threshold; produces local anesthesia
Hydromorphone	Semisynthetic
Remifentanil	Metabolized by nonspecific esterases; synthetic
Alfentanil	Smallest volume of distribution leading to shortest half-time of elimination; synthetic

Opioid side effects

Nausea and vomiting

Respiratory depression

Naloxone is the antagonist. It reverses pruritus, urinary retention, and nausea/vomiting.

Kawano, H., Manabe, S., Matsumoto, T. et al. Comparison of intraoperative blood loss during spinal surgery using either remifentanil or fentanyl as an adjuvant to general anesthesia. BMC Anesthesiol 13, 46 (2013). https://doi.org/10.1186/1471-2253-13-46

Yousef, A.A.Am., Atef, A.M. & Awais, W.M. Comparison of fentanyl versus meperidine as supplements to epidural clonidine-bupivacaine in patients with lower limb orthopedic surgery under combined spinal epidural anesthesia. BMC Anesthesiol 15, 146 (2015). https://doi.org/10.1186/s12871-015-0126-5

Wang, S., Wang, W., Xiao, J. et al. Determination of the median effective dose of sufentanil for inhibiting the laryngeal mask insertion response in geriatric patients: a prospective, double-blinded, dose–response trial. BMC Anesthesiol 22, 216 (2022). https://doi.org/10.1186/s12871-022-01758-7

Yang, Y., Wu, J., Li, H. et al. Prospective investigation of intravenous patient-controlled analgesia with hydromorphone or sufentanil: impact on mood, opioid adverse effects, and recovery. BMC Anesthesiol 18, 37 (2018). https://doi.org/10.1186/s12871-018-0500-1

Sato, I., Iwasaki, H., Luthe, S.K. et al. Comparison of intrathecal morphine with continuous patient-controlled epidural anesthesia versus intrathecal morphine alone for post-cesarean section analgesia: a randomized controlled trial. BMC Anesthesiol 20, 138 (2020). https://doi.org/10.1186/s12871-020-01050-6